



Docket No.: 511582002421
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Aya JAKOBOVITS et al.

Application No.: 10/147,368

Filed: May 15, 2002

For: NUCLEIC ACIDS AND CORRESPONDING
PROTEINS ENTITLED 101P3A11 OR PHOR-1
USEFUL IN TREATMENT AND DETECTION
OF CANCER

Art Unit: 1642

Examiner: Minh-Tam B. Davis

COPY

DECLARATION OF DR. STEVEN B. KANNER
UNDER 37 C.F.R. § 1.132

Commissioner for Patents

Alexandria, VA 22313-1450

Dear Sir:

I, Steven B. Kanner, declare as follows:

1. I am Director, Cancer Research, at Agensys, the assignee of the present application.

I am actively engaged in efforts to determine efficacy of antibody-based treatments for cancer. A copy of my current *curriculum vitae* is attached hereto as Exhibit A.

2. Along with my colleagues, I undertook an experiment to demonstrate the ability of antibodies immunoreactive with 101P3A11 v. 1 to inhibit the growth of tumors *in vivo* in mice. In these experiments, groups of SCID mice were injected subcutaneously with 2,000,000 prostate

cancer cells per mouse. There were five treatment groups with between 7-10 mice per group. Control groups received either PBS or KLH MAb, and test groups received either M3/47(3)24, a monoclonal antibody generated to the N-terminal peptide of 101P3A11 v. 1 containing amino acids 1-23 with an added linker (MVDPNGNESSATYFILIGLPGLESGSGC); M3/47(3)2, a monoclonal antibody raised against the N-terminal peptide of 101P3A11 v. 1 containing amino acids 1-23 with an added linker (MVDPNGNESSATYFILIGLPGLESGSGC); or M1/1G8, a monoclonal antibody generated against the Prostate Stem Cell Antigen. Treatment with antibodies started on the same day as tumor cell injection, and injections were repeated twice a week for a total of 12 doses of 250 µg administered IP. Tumor growth was followed over a period of 40 days.


3. The results are shown on the attached Exhibit B. As shown, after 40 days, the control group receiving PBS showed tumor volumes of almost 800 mm³, while those provided MAb M3/47(3)24 showed tumor volumes of only 200 mm³. The other monoclonal antibody directed to 101P3A11, M3/47(3)2, is less effective, but nevertheless slightly lower than at least the PBS control. It appears to have no statistical difference to the control KLH MAb. Two possible reasons that could account for the difference in efficacy between MAb M3/47(3)24 and its sister antibody M3/47(3)2 are: 1) differences in its epitope specificity and/or 2) its relative affinity for 101P3A11. Generally, monoclonal antibodies that are raised to the same antigen can differ in epitope specificity and relative affinity. Accordingly, these properties are unique to each antibody.

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements are made with the knowledge that willful, false statements and the like so made are punishable by fine or imprisonment or both, under Section 1001 of Title 18 of the United States Code and that

such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Executed at Santa Monica, California on January 17, 2005.

Steven B. Kanner



STEVEN BRIAN KANNER, PH.D.

Agensys, Inc.
1545 17th Street
Santa Monica, CA 90404
Phone: 310.820.8029 (ext. 104)
Fax: 310.820.8489
E-mail: skanner@agensys.com

PROFILE

Pharmaceutical/Biotechnology research leader with extensive experience in novel target identification and validation, screen development and both small molecule drug and antibody discovery, with expertise in oncology, immunology and inflammation. Self-motivated strategic planner, skilled in motivating, developing, hiring, managing and building scientific teams to expedite novel drug/therapeutic candidate discovery for clinical trial consideration.

PROFESSIONAL EXPERIENCE

AGENSYS, INC.
Santa Monica, CA

2003 -

Director, Cancer Research

Direct a research group including 19 scientists (Ph.D. and research associates) to identify, validate and develop novel targets for the generation of new therapeutics for cancer. Prioritize in-house portfolio for evaluation of targets for either monoclonal antibody development or for alliances for small molecule development or vaccine generation. Report to the Chief Scientific Officer.

- Establish teams for the validation of targets using RNAi knockdown technologies and over-expression systems to evaluate novel genes for establishing new monoclonal antibody based cancer therapies
- Serve on joint oversight committees with outside collaborators on alliances for proprietary targets to develop monoclonal antibodies, small molecule and vaccine approaches

BRISTOL-MYERS SQUIBB PHARMACEUTICAL RESEARCH INSTITUTE
Princeton, NJ (in Seattle, WA from 1990-1997)

1990 - 2003

Associate Director, Immunology and Oncology Drug Discovery (1999 - 2003)

Directed a research group including 25 scientists (Ph.D. level and research associates) to identify, validate and develop novel targets for therapeutic intervention in both immunological/inflammatory diseases and cancer. Managed annual research budget for group (\$250K) for laboratory operations, travel and training of scientific staff. Senior leader guiding the direction of the research effort in all pre-clinical drug discovery phases, including administrative functions, reporting to the Vice President of Immunology and Oncology Drug Discovery.

- Established a research group to identify novel targets for therapeutic intervention in both immunological/inflammatory diseases and cancer. Group developed reagents, assays, screens and analyses on over fifteen targets for future drug discovery projects
- Validated novel targets through bioinformatics, microarray technologies, Taqman for expression profiling, transgenic mouse development and analysis, flow cytometry, full-length cloning, monoclonal antibody generation and general protein expression/purification
- Generated eight new screening assays (enzymes, protein-protein interactions, receptor systems) in 1.5 years with reduced cycle time (3-6 month turnaround time) from target validation to screening campaign
- Transitioned an early-phase project on Itk kinase to full-phase status in 1999 (screening campaign, lead identification, followed by significant chemistry support for SAR), taking a small molecule inhibitor to preclinical animal model testing stages and identifying efficacious compounds
- In-licensed a project on p38 from an external partner at an early phase, then transitioned it to full-phase status (1999). Developed a small molecule drug candidate (2001) for IND toxicology and phase I study
- Developed a Src kinase project (1997-2000) in immunology before transitioning program to Oncology, with discovery of an optimized small molecule currently ready for phase I studies
- Co-chaired the Exelixis Oncology alliance, established to identify new targets for cancer. Nine new targets for oncology were identified in 1.5 years, and three high throughput assays were established
- Served on immunology/inflammation licensing team for identifying outside opportunities, and served on pulmonary licensing team and subcommittees for early-stage external technologies. Efforts led to the in-licensing of the p38 project and licenses for using inflammatory target technologies

Principal Scientist, Immunological Diseases (1997 - 1999)

Established a Signal Transduction group to identify small molecule therapeutics to treat immunological and inflammatory disorders. Group included 4 Ph.D. level investigators and 11 associate scientists involved in projects relating to targeting intracellular signaling components for identification of new drug candidates

Senior Research Investigator II, Immunodeficiency and Immunomodulation (1993 - 1997)
Seattle, WA (former Oncogen biotechnology company purchased by Bristol-Myers Squibb Company)

Senior Research Investigator I, Immunodeficiency and Immunomodulation (1990 - 1993)
Seattle, WA (former Oncogen biotechnology company purchased by Bristol-Myers Squibb Company)

UNIVERSITY OF VIRGINIA, DEPARTMENT OF MICROBIOLOGY AND CANCER CENTER **1986 - 1990**
Charlottesville, VA

Postdoctoral fellow, Oncology (advisor: J. Thomas Parsons, Ph.D.)

- Identified novel mechanisms of p60^{src} activation in carcinogen-transformed embryonic cells
- Discovered novel tyrosine-phosphorylated substrates of the p60^{src} oncogene by monoclonal antibody generation and biochemical characterization
- Commercialized monoclonal antibodies to FAK, tensin, p120^{ctn}, pp60^{src}, phosphotyrosine and cortactin

EDUCATION

Ph.D.	University of Miami (Immunology and Microbiology)	1986
B.A.	University of California, Berkeley (Genetics)	1980

HONORS, AWARDS, SCHOLARSHIPS AND FELLOWSHIPS

Bristol-Myers Squibb Excellence Awards	1996 - 2002
NIH Postdoctoral Fellowship Grant (F32-CA08316), University of Virginia	1987 - 1990
Presidential Scholarship, University of Miami	1981 - 1986
Honor Society, University of California, Berkeley	1978 - 1980

PROFESSIONAL AFFILIATIONS

American Association for Cancer Research
American Association of Immunologists
American Society for Microbiology
American Association for the Advancement of Science

AD HOC EDITORIAL ACTIVITY

Journal of Immunology
JI: Cutting Edge
Journal of Clinical Investigation
Journal of Biological Chemistry
Proc. Natl. Acad. Sci. USA
Molecular and Cellular Biology
Oncogene
Journal of Cellular Physiology
Antiviral Chemistry & Chemotherapy
Blood

SELECTED INVITED PRESENTATIONS

Regulated association between the SH3 domain of the Emt/Itk tyrosine kinase and multiple intracellular ligands. Lymphocyte Signal Transduction Workshop, Santorini, Greece (October, 2000)

Signal transduction through the T-lymphocyte receptors CD2 and LFA-1. Sugan, South San Francisco, California (June, 1996)

Lymphocyte antigen receptor activation of a novel FAK-related tyrosine kinase substrate. Lymphocyte Activation Meeting, Keystone Symposia on Molecular and Cellular Biology, Keystone, Colorado (April, 1994)

T-cell signaling via integrin receptors and immunoglobulin-superfamily molecules. University of Chicago, Committee on Immunology Seminar Series, Chicago, Illinois (March, 1994)

T-cell signaling through integrins and Ig superfamily receptors. Seattle Biomedical Research Institute, Seminar Series, Seattle, Washington (March, 1993)

β_2 -integrin signaling in T-cells through PLC γ 1 is TCR-dependent. Keystone Symposium on Phosphorylation/Dephosphorylation in Signal Transduction, Keystone, Colorado (January, 1993)

Regulation of TCR-induced PLC γ 1 tyrosine phosphorylation by CD45. Plenary seminar at Biochemical Immunology Group Colloquium on the Structure and Function of the Leukocyte Common Antigen CD45, Edinburgh, Scotland (September, 1991)

PATENTS AND INVENTIONS

Raitano, A., S. B. Kanner, P. Challita, J. J. Perez-Villar, W. Ge, and A. Jakobovits. Nucleic acids and corresponding proteins entitled 158P3D2 useful in treatment and detection of cancer. November, 2004

Kanner, S. B., A. Raitano, P. Challita, J. J. Perez-Villar, W. Ge, and A. Jakobovits. Nucleic acids and corresponding proteins entitled 58P1D12 useful in treatment and detection of cancer. August, 2004

Raitano, A., P. Challita, J. J. Perez-Villar, W. Ge, S. B. Kanner and A. Jakobovits. Nucleic acids and corresponding proteins entitled 109P1D4 useful in treatment and detection of cancer. April, 2004

Barrish, J. C., J. Das, S. B. Kanner, C. Liu, S. H. Spergel, J. Wityak, A. M. P. Doweyko, and J. A. Furch. Thiazolyl inhibitors of Tec family tyrosine kinases. US6706717; March, 2004

Jakobovits, A., R. K. Morrison, A. B. Raitano, P. M. Challita-Eid, J. J. Perez-Villar, K. J. M. Morrison, M. Faris, W. Ge, J. Gudas and S. B. Kanner. Nucleic acid and corresponding protein named 158P1D7 useful in the treatment and detection of bladder and other cancers. WO-04072263-A2; February, 2004

Kanner, S. B., A. Raitano, A. Jakobovits, P. Challita-Eid, W. Ge, J. J. Perez-Villar and M. Faris. Nucleic acids and corresponding proteins entitled 254P1D6B useful in treatment and detection of cancer. US-20040214212-A1; January, 2004

Perez-Villar, J. J., H. Chang, W-P. Yang, Y. Wu, G. S. Whitney and S. B. Kanner. Identification and cloning of a full-length human Clnk-related gene, MIST (Mast Cell Immunoreceptor Signal Transducer). US-020155563-A1; October, 2002

Chang, H., W-P. Yang, Y. Wu, G. S. Whitney, J. J. Perez-Villar and S. B. Kanner. Cloning and expression of human SLAP-2: a novel SH2/SH3 domain-containing human SLAP homologue having immune cell-specific expression. WO-0242457-A1; May, 2002

Kanner, S. B., A. B. Reynolds, S. J. Parsons and J. T. Parsons. Monoclonal antibodies to p125^{FAK}, p120^{ctn}, cortactin, pp60^{src} and tensin. Licensed and commercialized from the University of Virginia to Upstate/Cell Signaling Solutions; 1991

Kanner, S. B., A. B. Reynolds and J. T. Parsons. Monoclonal antibody 6G9 to phosphotyrosine. Licensed and commercialized from the University of Virginia to Covance, Inc./Berkeley Antibody Company; 1991

PUBLICATIONS

1. Parks, W. P., G. B. Scott, **S. B. Kanner**, E. S. Hubbell, M. A. Fischl, G. M. Dickinson and E. R. Schiff. (1984) Acquired immunodeficiency syndrome and human T-cell leukemia virus in Miami: a household approach. *In* Human T-cell Leukemia Viruses (R. C. Gallo, M. Essex, and L. Gross, eds.), Cold Spring Harbor Press, New York. pp. 381-391
2. **Kanner, S. B.**, C. Cheng-Mayer, R. B. Geffin, W. P. Parks, G. A. Beltz, L. O. Arthur, K. P. Samuel and T. S. Papas. (1986) Human retroviral *env* and *gag* polypeptides: serologic assays to measure infection. *J. Immunol.* **137**:674-678
3. **Kanner, S. B.**, E. S. Parks, G. B. Scott and W. P. Parks. (1987) Simultaneous infections with human T cell leukemia virus type I and the human immunodeficiency virus. *J. Inf. Dis.* **155**:617-625
4. **Kanner, S. B.**, S. J. Parsons, J. T. Parsons and T. M. Gilmer. (1988) Activation of pp60^{c-src} tyrosine kinase specific activity in tumor-derived Syrian hamster embryo cells. *Oncogene* **2**:327-335
5. Reynolds, A. B., D. J. Roesel, **S. B. Kanner** and J. T. Parsons. (1989) Transformation-specific tyrosine phosphorylation of a novel cellular protein in chicken cells expressing oncogenic variants of the avian cellular *src* gene. *Mol. Cell. Biol.* **9**:629-638
6. **Kanner, S. B.**, T. M. Gilmer, A. B. Reynolds and J. T. Parsons. (1989) Novel tyrosine phosphorylations accompany the activation of pp60^{c-src} during chemical carcinogenesis. *Oncogene* **4**:295-300
7. **Kanner, S. B.**, A. B. Reynolds and J. T. Parsons. (1989) Immunoaffinity purification of tyrosine-phosphorylated cellular proteins. *J. Immunol. Methods* **120**:115-124
8. Reynolds, A. B., **S. B. Kanner**, H-C. R. Wang and J. T. Parsons. (1989) Stable association of activated pp60^{src} with two tyrosine-phosphorylated cellular proteins. *Mol. Cell. Biol.* **9**:3951-3958
9. Ely, C. M., K. M. Oddie, J. S. Litz, A. J. Rossomando, **S. B. Kanner**, T. W. Sturgill, and S. J. Parsons. (1990) A 42 kD tyrosine kinase substrate linked to chromaffin cell secretion exhibits an associated MAP kinase activity and is highly related to a 42 kD mitogen-stimulated protein in fibroblasts. *J. Cell Biol.* **110**:731-742
10. **Kanner, S. B.**, A. B. Reynolds, R. R. Vines and J. T. Parsons. (1990) Monoclonal antibodies to individual tyrosine-phosphorylated protein substrates of oncogene-encoded tyrosine kinases. *Proc. Natl. Acad. Sci. USA* **87**:3328-3332
11. **Kanner, S. B.**, A. B. Reynolds and J. T. Parsons. (1991) Tyrosine phosphorylation of a 120-kDa pp60^{src} substrate upon epidermal growth factor and platelet-derived growth factor receptor stimulation and in polyomavirus middle-T-antigen-transformed cells. *Mol. Cell. Biol.* **11**:713-720
12. Bouton, A. H., **S. B. Kanner**, R. R. Vines, H-C. R. Wang, J. B. Gibbs and J. T. Parsons. (1991) Transformation by pp60^{src} or stimulation of cells with epidermal growth factor induces the stable association of tyrosine phosphorylated cellular proteins with GTPase activating protein. *Mol. Cell. Biol.* **11**:945-953

13. Bouton, A. H., **S. B. Kanner**, R. R. Vines and J. T. Parsons. (1991) Tyrosine phosphorylation of three cellular proteins correlates with transformation of rat 1 cells by pp60^{src}. *Mol. Carcinogenesis* 4:145-152
14. **Kanner, S. B.**, A. B. Reynolds, H-C. R. Wang, R. R. Vines and J. T. Parsons. (1991) The SH2 and SH3 domains of pp60^{src} direct stable association with tyrosine-phosphorylated proteins p130 and p110. *EMBO J.* 10:1689-1698
15. Wu, H., A. B. Reynolds, **S. B. Kanner**, R. R. Vines and J. T. Parsons. (1991) Identification and characterization of a novel cytoskeleton-associated pp60^{src} substrate. *Mol. Cell. Biol.* 11:5113-5124
16. Ledbetter, J. A., **S. B. Kanner**, G. L. Schieven and J. Deans. (1991) Transmembrane signals in T cells: tyrosine phosphorylation regulates phospholipase C activation. *In* Signaling Mechanisms in Secretory and Immune Cells (J. R. Martinez, B. S. Edwards and J. C. Seagrave, eds.), San Francisco Press, California. pp. 51-56
17. **Kanner, S. B.**, T. J. Kavanagh, A. Grossmann, S-L. Hu, J. B. Bolen, P. S. Rabinovitch and J. A. Ledbetter. (1992) Sulfhydryl oxidation down-regulates T-cell signaling and inhibits tyrosine phosphorylation of phospholipase C γ 1. *Proc. Natl. Acad. Sci. USA* 89:300-304
18. **Kanner, S. B.** and J. A. Ledbetter. (1992) CD45 regulates TCR-induced signalling through tyrosine phosphorylation of phospholipase C γ 1. *Biochem. Soc. Trans.* 20:178-184
19. Turka, L. A., **S. B. Kanner**, G. L. Schieven, C. B. Thompson and J. A. Ledbetter. (1992) CD45 modulates T cell receptor/CD3-induced activation of human thymocytes via regulation of tyrosine phosphorylation. *Eur. J. Immunol.* 22:551-557
20. **Kanner, S. B.**, J. P. Deans and J. A. Ledbetter. (1992) Regulation of CD3-induced phospholipase C-gamma1 (PLC γ 1) tyrosine phosphorylation by CD4 and CD45 receptors. *Immunology* 75:441-447
21. Deans, J. P., **S. B. Kanner**, R. M. Torres and J. A. Ledbetter. (1992) Interaction of CD4:lck with the T cell receptor/CD3 complex induces early signaling events in the absence of CD45 tyrosine phosphatase. *Eur. J. Immunol.* 22:661-668
22. **Kanner, S. B.**, N. K. Damle, J. Blake, A. Aruffo and J. A. Ledbetter. (1992) CD2/LFA-3 ligation induces phospholipase-C γ 1 tyrosine phosphorylation and regulates CD3 signaling. *J. Immunol.* 148:2023-2029
23. Sancho, J., J. A. Ledbetter, M-S. Choi, **S. B. Kanner**, J. P. Deans and C. Terhorst. (1992) CD3- ζ surface expression is required for CD4-p56^{lck}-mediated up-regulation of T cell antigen receptor-CD3 signaling in T cells. *J. Biol. Chem.* 267:7871-7879
24. Gilliland, L. K., G. L. Schieven, N. A. Norris, **S. B. Kanner**, A. Aruffo and J. A. Ledbetter. (1992) Lymphocyte lineage-restricted tyrosine-phosphorylated proteins that bind PLC γ 1 SH2 domains. *J. Biol. Chem.* 267:13610-13616


25. Aruffo, A., **S. B. Kanner**, D. Sgroi, J. A. Ledbetter and I. Stamenkovic. (1992) CD22-mediated stimulation of T cells regulates TCR/CD3-induced signaling. *Proc. Natl. Acad. Sci. USA* **89**:10242-10246
26. **Kanner, S. B.**, N. Ødum, L. Grosmaire, S. Masewicz, A. Svejgaard and J. A. Ledbetter. (1992) Superantigen and HLA-DR ligation induce phospholipase-C γ 1 activation in class II⁺ T-cells. *J. Immunol.* **148**:3482-3488
27. Kavanagh, T. J., A. Grossmann, J. C. Jinneman, **S. B. Kanner**, C. C. White, D. L. Eaton, J. A. Ledbetter and P. S. Rabinovitch. (1993) The effect of 1-chloro-2, 4-dinitrobenzene exposure on antigen receptor (CD3)-stimulated transmembrane signal transduction in purified subsets of human peripheral blood lymphocytes. *Toxicol. Appl. Pharmacol.* **119**:91-99
28. Ledbetter, J. A., J. P. Deans, A. Aruffo, L. S. Grosmaire, **S. B. Kanner**, J. B. Bolen and G. L. Schieven. (1993) CD4, CD8 and the role of CD45 in T-cell activation. *Curr. Opin. Immunol.* **5**:334-340
29. Ødum, N., **S. B. Kanner**, J. A. Ledbetter and A. Svejgaard. (1993) MHC class II molecules-deliver costimulatory signals in human T cells through a functional linkage with IL-2-receptors. *J. Immunol.* **150**:5289-5298
30. Chalupny, N. J., **S. B. Kanner**, G. L. Schieven, S. Wee, L. K. Gilliland, A. Aruffo and J. A. Ledbetter. (1993) Tyrosine phosphorylation of CD19 in pre-B and mature B cells. *EMBO J.* **12**:2691-2696
31. **Kanner, S. B.**, L. S. Grosmaire, J. A. Ledbetter and N. K. Damle. (1993) β_2 -integrin LFA-1 signaling through phospholipase-C γ 1 activation. *Proc. Natl. Acad. Sci. USA* **90**:7099-7103
32. Whitney, G. S., P-Y. Chan, J. Blake, W. L. Cosand, M. G. Neubauer, A. Aruffo and **S. B. Kanner**. (1993) Human T and B lymphocytes express a structurally conserved focal adhesion kinase (pp125^{FAK}). *DNA Cell Biol.* **12**:823-830
33. Parsons, M., J. A. Ledbetter, G. L. Schieven, A. E. Nel and **S. B. Kanner**. (1994) Developmental regulation of pp44/46, tyrosine-phosphorylated proteins associated with tyrosine/serine kinase activity in *Trypanosoma brucei*. *Mol. Biochem. Parasitol.* **63**:69-78
34. Chan, P-Y., **S. B. Kanner**, G. S. Whitney and A. Aruffo. (1994) A transmembrane-anchored chimeric focal adhesion kinase is constitutively activated and phosphorylated at tyrosine residues identical to pp125^{FAK}. *J. Biol. Chem.* **269**:20567-20574
35. Schieven, G. L., R. S. Mittler, S. G. Nadler, J. M. Kiriara, J. B. Bolen, **S. B. Kanner** and J. A. Ledbetter. (1994) ZAP-70 tyrosine kinase, CD45, and T cell receptor involvement in UV- and H₂O₂-induced T cell signal transduction. *J. Biol. Chem.* **269**:20718-20726
36. Dietsch, M. T., P-Y. Chan, **S. B. Kanner**, L. K. Gilliland, J. A. Ledbetter, P. S. Linsley and A. Aruffo. (1994) Coengagement of CD2 with LFA-1 or VLA-4 by bispecific ligand fusion proteins primes T cells to respond more effectively to T cell receptor-dependent signals. *J. Leukoc. Biol.* **56**:444-452

37. **Kanner, S. B.**, A. Aruffo and P-Y. Chan. (1994) Lymphocyte antigen receptor activation of a focal adhesion kinase-related tyrosine kinase substrate. *Proc. Natl. Acad. Sci. USA* **91**:10484-10487
38. Wong, S. C.-T., **S. B. Kanner**, J. A. Ledbetter, S. Gupta, G. Kumar and A. E. Nel. (1995) Evidence for LFA-1/ICAM-1 dependent stimulation of protein tyrosine phosphorylation in human B lymphoid cell lines during homotypic adhesion. *J. Leukoc. Biol.* **57**:343-351
39. **Kanner, S. B.** and O. K. Haffar. (1995) HIV-1 down-regulates CD4 costimulation of TCR/CD3-directed tyrosine phosphorylation through CD4/p56^{lck} dissociation. *J. Immunol.* **154**:2996-3005
40. Ohnishi, H., J. A. Ledbetter, **S. B. Kanner**, P. S. Linsley, T. Tanaka, A. M. Geller and M. Kotb. (1995) CD28 cross-linking augments TCR-mediated signals and costimulates superantigen responses. *J. Immunol.* **154**:3180-3193
41. Grossmann, A., P. S. Rabinovitch, T. J. Kavanagh, J. C. Jinneman, L. K. Gilliland, J. A. Ledbetter and **S. B. Kanner**. (1995) Activation of murine T-cells via phospholipase-C γ 1-associated protein tyrosine phosphorylation is reduced with aging. *J. Gerontol.* **50A**:B205-B212
42. Tarakhovsky, A., **S. B. Kanner**, J. Hombach, J. A. Ledbetter, W. Müller, N. Killeen and K. Rajewsky. (1995) A role for CD5 in TCR-mediated signal transduction and thymocyte selection. *Science* **269**:535-537
43. Nel, A. E., S. Gupta, L. Lee, J. A. Ledbetter and **S. B. Kanner**. (1995) Ligation of the T-cell antigen receptor (TCR) induces association of hSos1, ZAP-70, phospholipase C- γ 1, and other phosphoproteins with Grb2 and the ζ -chain of the TCR. *J. Biol. Chem.* **270**:18428-18436
44. **Kanner, S. B.**, L. S. Grosmaire, J. Blake, G. L. Schieven, S. Masewicz, N. Ødum and J. A. Ledbetter. (1995) ZAP-70 and p72^{syk} are signaling response elements through MHC class II molecules. *Tissue Antigens* **46**:145-154
45. Das, A., G. C. Peterson, **S. B. Kanner**, U. Frevert and M. Parsons. (1996) A major tyrosine-phosphorylated protein of *Trypanosoma brucei* is a nucleolar RNA-binding protein. *J. Biol. Chem.* **271**:15675-15681
46. **Kanner, S. B.** (1996) Focal adhesion kinase-related fakB is regulated by the integrin LFA-1 and interacts with the SH3 domain of phospholipase C γ 1. *Cell. Immunol.* **171**:164-169
47. Ochs, H. D., Q. Zhu, T. Liu, C. Watanabe, **S. B. Kanner**, D. Hollenbaugh and A. Aruffo. (1996) Wiskott-Aldrich syndrome: The WAS protein, phenotype and genotype. In *Progress in Immunodeficiency VI* (A. Fasth and J. Bjorkander, eds.), Elsevier Science B.V., Goteborg, Sweden. pp. 85-96
48. Kotb, M., **S. B. Kanner** and J. A. Ledbetter. (1997) Biochemical analysis of TCR mediated signaling. In *The Human Antigen T-cell Receptor: Selected Protocols and Applications* (J. R. Oksenberg, ed.), R.G. Landes Company and Chapman & Hall, Texas. pp. 489-545

49. Ng, T. T. C., **S. B. Kanner**, M. J. Humphries, R. G. Wickremasinghe, K. E. Nye, J. Anderson, S. H. Khoo and W. J. W. Morrow. (1997) The integrin-triggered rescue of T lymphocyte apoptosis is blocked in HIV-1-infected individuals. *J. Immunol.* **158**:2984-2999
50. Scholler, J. K. and **S. B. Kanner**. (1997) The human p167 gene encodes a unique structural protein that contains centrosomin A homology and associates with a multicomponent complex. *DNA Cell Biol.* **16**:515-531
51. Lansing, T. J., B. F. Turk, **S. B. Kanner** and T. M. Gilmer. (1997) Mutational activation of pp60^{c-src} leads to a tumorigenic phenotype in a preneoplastic Syrian hamster embryo cell line. *Cancer Res.* **57**:1962-1969
52. Zhu, Q., C. Watanabe, T. Liu, D. Hollenbaugh, R. M. Blaese, **S. B. Kanner**, A. Aruffo and H. D. Ochs. (1997) The Wiscott-Aldrich syndrome/X-linked thrombocytopenia: WASP gene mutations, protein expression, and phenotype. *Blood* **90**:2680-2689
53. Brockdorff, J., **S. B. Kanner**, M. Nielsen, N. Borregaard, C. Geisler, A. Svejgaard and N. Ødum. (1998) Interleukin-2 induces β 2-integrin-dependent signal transduction involving the focal adhesion kinase-related protein B (fakB). *Proc. Natl. Acad. Sci. USA* **95**:6959-6964
54. Loo, D. T., **S. B. Kanner** and A. Aruffo. (1998) Filamin binds to the cytoplasmic domain of the β 1-integrin: identification of amino acids responsible for this interaction. *J. Biol. Chem.* **273**:23304-23312
55. Connelly, R. J., M. S. Hayden, J. K. Scholler, T. T. Tsu, B. Dupont, J. A. Ledbetter and **S. B. Kanner**. (1998) Mitogenic properties of a bispecific single chain Fv-Ig fusion generated from CD2-specific mAb to distinct epitopes. *Int. Immunol.* **10**:1863-1872
56. Ng, T. T. C., I. E. Collins, **S. B. Kanner**, M. J. Humphries, N. Amft, R. G. Wickremasinghe, D. D'Cruz, K. E. Nye and W. J. W. Morrow. (1999) Integrin signalling defects in T-lymphocytes in systemic lupus erythematosus. *Lupus* **8**:39-51
57. Perez-Villar, J. J., G. S. Whitney, M. A. Bowen, D. H. Hewgill, A. A. Aruffo and **S. B. Kanner**. (1999) CD5 negatively regulates the T-cell antigen receptor signal transduction pathway: involvement of SH2-containing phosphotyrosine phosphatase SHP-1. *Mol. Cell. Biol.* **19**:2903-2912
58. Perez-Villar, J. J. and **S. B. Kanner**. (1999) Regulated association between the tyrosine kinase Emt/Itk/Tsk and phospholipase-C γ 1 in human T lymphocytes. *J. Immunol.* **163**:6435-6441
59. Scholler, J. K., J. J. Perez-Villar, K. O'Day and **S. B. Kanner**. (2000) Engagement of the T-lymphocyte antigen receptor regulates association of son-of-sevenless homologues with the SH3 domain of phospholipase C γ 1. *Eur. J. Immunol.* **30**:2378-2387
60. van Seventer, G. A., H. J. Salmen, S. F. Law, G. M. O'Neill, M. M. Mullen, A. M. Franz, **S. B. Kanner**, E. A. Golemis and J. M. van Seventer. (2001) Focal adhesion kinase regulates β 1 integrin-dependent T cell migration through an HEF1 effector pathway. *Eur. J. Immunol.* **31**:1417-1427

61. Perez-Villar, J. J., K. O'Day, D. H. Hewgill, S. G. Nadler and **S. B. Kanner**. (2001) Nuclear localization of the tyrosine kinase Itk and interaction of its SH3 domain with karyopherin α (Rch1 α). *Int. Immunol.* **13**:1265-1274
62. Perez-Villar, J. J., G. S. Whitney, M. T. Sitnick, R. J. Dunn, S. Venkatesan, K. O'Day, G. L. Schieven, T. Lin and **S. B. Kanner**. (2002) Phosphorylation of the linker for activation of T-cells by Itk promotes recruitment of Vav. *Biochemistry* **41**:10732-10740
63. **Kanner, S. B.** and J. J. Perez-Villar. (2003) Altering T cell activation by targeting the multi-domain tyrosine kinase Itk. *Trends Immunol.* **24**:249-253
64. Wityak, J., J. Das, R. V. Moquin, Z. Shen, J. Lin, P. Chen, A. M. Doweyko, S. Pitt, S. Pang, D. R. Shen, Q. Fang, H. F. de Fex, G. L. Schieven, **S. B. Kanner** and J. C. Barrish. (2003) Discovery and initial SAR of 2-amino-5-carboxamidothiazoles as inhibitors of the Src-family kinase p56^{Lck}. *Bioorg. Med. Chem. Lett.* **13**:4007-4010
65. Chen, P., A. M. Doweyko, D. Norris, H. H. Gu, S. H. Spergel, J. Das, R. V. Moquin, J. Lin, J. Wityak, E. J. Iwanowicz, K. W. McIntyre, D. J. Shuster, K. Behnia, S. Chong, H. de Fex, S. Pang, S. Pitt, D. R. Shen, S. Thrall, P. Stanley, O. R. Kocy, M. R. Witmer, **S. B. Kanner**, G. L. Schieven and J. C. Barrish. (2004) Imidazoquinoxaline Src-family kinase p56Lck inhibitors: SAR, QSAR, and the discovery of (*S*)-*N*-(2-chloro-6-methylphenyl)-2-(3-methyl-1-piperazinyl)imidazo-[1,5-*a*]pyrido[3,2-*e*]pyrazin-6-amine (BMS-279700) as a potent and orally active inhibitor with excellent in vivo anti-inflammatory activity. *J. Med. Chem.* **47**:4517-4529
66. Lin, T., K. W. McIntyre, J. Das, C. Liu, K. D. O'Day, B. Penhallow, C-Y. Hung, D. J. Shuster, X. Yang, R. Townsend, J. Postelnek, S. H. Spergel, J. Lin, R. V. Moquin, J. A. Furch, A. V. Kamath, H. Zhang, P. H. Marathe, J. J. Perez-Villar, A. Doweyko, L. Killar, J. H. Dodd, J. C. Barrish, J. Wityak and **S. B. Kanner**. (2004) Selective Itk inhibitors block T-cell activation and murine lung inflammation. *Biochemistry* **43**:11056-11062
67. Leftheris, K., G. Ahmed, R. Chan, A. J. Dyckman, Z. Hussain, K. Ho, J. Hynes, Jr., J. Letourneau, W. Li, S. Lin, A. Metzger, K. J. Moriarty, C. Riviello, Y. Shimshock, J. Wen, J. Wityak, S. T. Wroblewski, H. Wu, J. Wu, M. Desai, K. M. Gillooly, T. H. Lin, D. Loo, K. W. McIntyre, S. Pitt, D. R. Shen, S. J. Shuster, R. Zhang, D. Diller, A. Doweyko, J. Sack, J. Baldwin, J. Barrish, J. Dodd, I. Henderson, **S. B. Kanner**, G. L. Schieven and M. Webb. (2004) The discovery of orally active triaminotriazine aniline amides as inhibitors of p38 MAP kinase. *J. Med. Chem.* **47**:6283-6291

Exhibit B: PHOR-1 MAb M3/47(3)24 Inhibits Growth of Human Prostate Cancer Xenograft in Mice



◆ Treatment started on the same day of tumor cell injection (2 million/mouse) MABs were dosed i.p. at 250 µg twice a week for a total of 12 doses.